FRONT

CARD EDGE (TRIM)

SLOT PUNCH


KEEP CLEAR

BACKGROUNDS MAY RUN BEHIND

BLEED 1/16 in: RUN BACKGROUNDS TO THE OUTER EDGE

SAFE LINE 1/8 in: KEEP TEXT, LOGOS AND PHOTOS INSIDE

TEMPLATE GUIDES: REMOVE BEFORE SENDING


BACK
CARD EDGE (TRIM)
SLOT PUNCH
KEEP CLEAR
BACKGROUNDS MAY RUN BEHIND
BLEED 1/16 in: RUN BACKGROUNDS TO THE OUTER EDGE
SAFE LINE 1/8 in: KEEP TEXT, LOGOS AND PHOTOS INSIDE
TEMPLATE GUIDES: REMOVE BEFORE SENDING

CR80 ID card template: landscape, slot punch, no exposed chip

Print this page at 100% ("Actual size"), not "Fit to page", then check the rulers. Pages 1 and 2 are the front and back templates.


Card stock: You can order our standard white PVC cards with the slot already punched, on the short or long edge, and some of our chip cards too. Ask us about the specific card you want.

ACTUAL SIZE: LAY A REAL CARD HERE



KEY NUMBERS (PX AT 300 DPI)

Card (trim)	3.375 x 2.125 in · 85.725 x 53.975 mm · 1013 x 638 px
With bleed	3.5 x 2.25 in · 88.9 x 57.15 mm · 1050 x 675 px
Bleed, each side	1/16 in · 1.5875 mm · 18.75 px
Safe margin	1/8 in · 3.175 mm · 38 px (our studio's minimum: 20 px, 1.7 mm)
Corner radius	1/8 in · 3.175 mm (ISO allows 2.88 to 3.48 mm)
Thickness	0.030 in (30 mil) · 0.76 mm (ISO allows 0.68 to 0.84 mm)
Slot hole	14.7 x 3.2 mm, pill-shaped, centered, 5 mm from the top edge
Slot keep-out	0.98 x 0.53 in · 24.9 x 13.3 mm · 294 x 157 px, from the top edge, 30.4 to 55.4 mm from the left




ENLARGED 1.5:1 · THE FRONT

ACROSS: MM FROM LEFT EDGE · DOWN: MM FROM TOP

CHECK THE PRINT SCALE





If a ruler doesn't measure exactly 50 mm or 2 in, the page was scaled: print it again at 100% (Actual size).

THE RULES

1. Run background art to the bleed edge, 1/16 in (1.6 mm) past the card edge on every side.
2. Keep text, logos, photos, barcodes and QR codes inside the safe line, 1/8 in (3.2 mm) from the edge.
3. Keep the slot punch zone clear (0.98 x 0.53 in at the top center). Backgrounds may run behind the hole.
4. Page 2 is the back: the front turned over left to right, with the slot in the same place.
5. Send RGB artwork at 300 dpi, 1050 x 675 px with bleed. Hide or delete the guide layers first.

LATEST VERSION

instantcard.net/
card-layout-and-artwork/

Sources: ISO/IEC 7810:2019 (size, corners, thickness); InstantCard production data (bleed, pixel sizes, slot punch, margins).
Version 1.0.0, reviewed 2026-11-09 by InstantCard production team. CC BY 4.0 (creativecommons.org/licenses/by/4.0/): free to use and share with credit to "InstantCard, instantcard.net/card-layout-and-artwork".